


# ABCs



## STUCCO & MASONRY SOLUTIONS

### A

ADMIXES

To improve the performance of cement-based products

### B

BONDERS

To adhere new cement products to existing substrates

### C

CLEANERS

To clean and maintain the appearance of surfaces

### S

SEALERS

To protect surfaces from the elements and staining





# STUCCO & MASONRY SOLUTIONS

ADMIXES



## E-FX ADMIX

*Efflorescence Reducing Admixture*  
E-FX Admix is designed to help reduce efflorescence and improve the performance in approved cement-based products. When added to the material, E-FX Admix will offer long lasting protection from the elements while retaining the surface's natural appearance and vapor permeability.



## OMEGACURE (DWC ACCELERATOR)

*Accelerator to Improve Curing*  
OmegaCure is a non-corrosive, liquid admixture for accelerating the curing of cement-based materials. A more advanced hydration state will result in higher early strength, faster hardening, higher abrasion resistance, reduced void content, and decreased water movement within the cement matrix. Allows for the application of cement-based products in colder weather.



## ADMIX 500

*Acrylic Admixture*  
Admix 500 is a 100% acrylic admixture for cementitious products that increases tensile, bond, and flexural strength of approved products.



## AQUASHIELD

*Water Repellant Admix for Stucco and Mortar*  
AquaShield is a powdered admixture designed to increase the water-resistance of ColorTek Stucco, mortar, or other approved cementitious products. AquaShield is added during mixing and offers the benefit of long-lasting water-resistance, improved stain resistance, and reduced efflorescence without the extra time and expense of applying a sealer.



## AKROLOC (ACRYLIC BONDER)

*Acrylic Bonding Agent or Admixture*  
AkroLoc is a 100% acrylic bond or admixture for cementitious products. AkroLoc can be used in bonding new cement-based products to a variety of existing properly prepared substrates or as an admixture to reduce cracking and increase tensile, bond, and flexural strength of approved products.



## POLYLOC (PVA BONDER)

*Poly-vinyl Acetate Bonding Agent or Admixture*  
PolyLoc is a poly-vinyl acetate (PVA) based bond or admixture for cementitious or gypsum plaster products. PolyLoc can be used in bonding new cement-based or gypsum-based products to a variety of existing, properly prepared substrates or as an admixture to increase tensile, bond, and flexural strength of approved products.

ADMIXES/BONDERS

BONDERS



## BOND-CRETE

*Concrete Bonding Agent*  
Bond-Crete is a liquid, re-emulsifying bonding agent composed of a polyvinyl acetate (PVA) homopolymer resin. Bond-Crete is used to bond new cement-based and gypsum plaster products to existing properly prepared substrates.

CLEANERS



## STUCCO CLEANER

*Concentrated Stucco Cleaner*  
Stucco Cleaner is a concentrated, water-based detergent designed to penetrate the surface to help remove stains from stucco, masonry, and other approved products without damaging the surface.

SEALERS



## OMEGAGUARD (WATER REPELLENT)

*Silicon-based Sealer*  
OmegaGuard is a silicon-based, clear, non-yellowing water repellent designed to seal porous, cement-based substrates such as stucco, brick, masonry, and other concrete surfaces. When properly applied, OmegaGuard will offer long lasting protection from the elements while retaining the surface's natural appearance and vapor permeability.



## OMEGAGUARD PLUS

*Silane/Siloxane Sealer*  
OmegaGuard Plus is a silane/siloxane-based, clear, non-yellowing water repellent designed to seal porous substrates such as stucco, brick, natural and manufactured stone, masonry, concrete, and other cement-based vertical or horizontal surfaces. OmegaGuard Plus deeply penetrates the surface for long lasting protection from the elements, water-based stains, and some oil-based stains while retaining the surface's natural appearance and vapor permeability.



## OMEGASEAL 1000 (PENETRATING SEALER)

*100% Acrylic Sealer*  
OmegaSeal 1000 is an acrylic-based, clear, non-yellowing sealer for use over a variety of substrates, including stucco, acrylic finishes, masonry, and other concrete surfaces. When properly applied, OmegaSeal 1000 forms a continuous protective film over the substrate's surface to offer long lasting protection from the elements.



NOVEMBER 2011