

AK 50.00 January 01, 2015 Page 1 of 7

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Omega Products International P.O. Box 77220 Corona, CA 92877-0107

Company Phone Number: 1-951-737-7447 Emergency Phone Number: 1-951-737-7447 or 1-800-600-6634

Product Name: AkroFlex Reinforcing Mesh, AkroGuard Fabric, and Omega Reinforcing Mesh

Issue Date: January 01, 2015

Section 2: HAZARDS IDENTIFICATION

2.1 Emergency Overview

Appearance: White Continuous Filament



WARNING Harmful if inhaled (Category 4) Causes eye irritation (Category 2B) Causes mild skin irritation (Category 3)

2.2 Potential Health Effects

Relevant routes of exposure: Eye contact, skin contact, inhalation, and ingestion

Potential Acute Health Effects:

Eye: Direct contact will cause mechanical irritation.

Skin: Transient mechanical irritation. Occasionally there might be skin irritation noted by individuals who are initially exposed to fiberglass.

Inhalation: Mechanical irritation of the mouth, nose, and throat.

Ingestion: Observe individual. If symptoms of GI irritation develop, consult a physician.

Carcinogenicity: Not classified as a carcinogen by IARC, NTP, and OSHA



AK 50.00 January 01, 2015 Potential Chronic Health Effects

Chronic effects: None known

Target Organs: None

Over-Exposure Signs/Symptoms

Inhalation: Adverse symptoms may include the following: respiratory tract irritation and coughing

2.3 Potential Environmental Effects

Not considered to be harmful to aquatic and terrestrial life.

Section 3: COMPOSITION/INFORMATION OF INGREDIENTS

		Content [wt %]	
CAS Number	Component	Lower	Upper
65997-17-3	Continuous Filament Fiberglass	99.5	100

Section 4: FIRST-AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Skin Contact: Wash affected area thoroughly with soap and water for at least 15 minutes. Consult a physician or other qualified medical personnel if the condition persists.

Inhalation: Remove to fresh air. Check for clear airway, breathing and presence of pulse, Provide cardiopulmonary resuscitation for persons without pulse or respirations. Consult a physician or other medical personnel.

Ingestion: If swallowed, dilute by drinking large amounts of water, give at least 2 glasses of water to drink. Consult a physician or other qualified medical personnel. Never give anything by mouth to an unconscious person.

Section 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water Spray, carbon dioxide (CO2), dry chemical, alcohol foam.

Unsuitable Extinguishing Media: None

Page **2** of **7**



Page 3 of 7

AK 50.00 January 01, 2015 **Products of Combustions:** None

Unusual Hazards: None

Protection of Firefighters: Firefighters should wear self-containing breathing apparatus (pressure demand MSHA/NIOSH approved or equivalent) and full fire-fighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in section 8.

Environmental Precautions: Keep out of drains, sewers, ditches and waterways. Minimize use of water to prevent environmental contamination.

Methods for Containment: Handle as a nuisance dust. Use respiratory protection if dust becomes airborne.

Methods for Clean-Up: Dispose of in accordance with applicable Federal, State, and Local regulations. Keep spills and runoff out of municipal sewers and open bodies of water.

Section 7: HANDLING AND STORAGE

Handling: Do not get in eyes. Avoid contact with skin. Use in well ventilated areas. Wash thoroughly after handling.

Storage: Store in a cool, dry location and out of direct sunlight. Protect product from weather and other damage.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

	OSHA PEL	ACGIH TLV	NIOSH REL
Continuous Filament Fiberglass	15 mg/m ³ TWA	10 mg/m ³ TWA	3 fibers/cm ³

Engineering Controls: Use local ventilation, if needed.

Eye/face Protection: Use chemical splash goggles (ANSI 287.1 or approved equivalent)

Skin Protection: Use rubber or neoprene gloves to provide protection against wet material.

Respiratory Protection: None required for normal use of this product. For extra precaution workers may use NIOSH/MSHA approved respirators for dust. As with any safety product,



Page 4 of 7

AK 50.00

January 01, 2015

workers using respirators should be trained in the proper selection, use and care of such equipment.

General Hygiene Considerations: Wash thoroughly after handling. Have eye-wash facilities immediately available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Color: White continuous filament Odor: None. Odor Threshold: Not available. Physical State: Solid. pH: 6-8 (water) Freezing Point: 800°C Boiling Point: Not applicable. Flash Point: Noncombustible Evaporation Rate: Not applicable. Flammability (solid, gas): Not available. Upper Flammability Limit: Not available. Lower Flammability Limit: Not available. Auto Ignition Temperature: Not available. Vapor Pressure: Not available. Vapor Density: Not available. Specific Gravity: Not available. Solubility (water): Slightly Partition Coefficient (n-octanol/water): Not available.

Section 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions of storage and use

Conditions to Avoid: None

Incompatible Materials: None

Hazardous Decomposition Products: None under normal conditions of storage and use.

Section 11: TOXICOLOGICAL INFORMATION

Eyes: No specific hazard known. May cause transient irritation or alkali burns.

Skin: No specific hazard known; may cause transient mechanical irritation.



AK 50.00

Page 5 of 7

January 01, 2015

Inhalation: No specific hazard known; may cause mechanical irritation of the mouth, nose, and throat.

Ingestion: No specific hazard known.

Section 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: No data available.

Terrestrial Toxicity: No data available.

Persistence and degradability: Mobility: No data available. Bioaccumulation: No data available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated.

It is the responsibility of the waste generator to determine toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Section 14: TRANSPORTATION INFORMATION

Land transportUSDOTNot classified as a dangerous good under transport regulationsSea transportIMDGNot classified as a dangerous good under transport regulationsAir transportIATA/ICAONot classified as a dangerous good under transport regulations

Section 15: REGULATORY INFORMATION

<u>US regulations</u> HCS Classification: No target organ effects

US Federal Regulations



AK 50.00

Page 6 of 7

January 01, 2015

SARA 311/312 Classification Immediate (acute) health hazard, Delayed (chronic) health hazard

SARA 313 - Supplier Notification

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372. None required.

SARA 302 Extremely Hazardous Substances None required.

State Regulations

Omega Products International, Inc., as a blender of processed material in the State of California, is required by Proposition 65 to worn that one or more of the components contained in this product could contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. The State of California (Proposition 65) requires this warning in the absence of definitive testing to prove that the defined risks do not exist. We believe this product complies with all other applicable state and federal laws and regulations governing manufacture, distribution and intended use.

Section 16: OTHER INFORMATION

Hazardous Material Information System III (U.S.A.)

Health: * Flammability: 0 Physical Hazards: 0

Health rating applies only to acute effects as defined by the National Paint and Coatings Association) *See Section 2 Hazards Identification

<u>Caution:</u> HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

Legend ACGIH American Conference of Government Industrial Hygienists



AK 50.00

January 01, 2015

Sandary 01, 2010		
HMIS	Hazardous Material Identification System	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
STEL	Short Term Exposure Limit	
TWA	Time Weighted Average	
NIOSH	National Institute for Occupational Safety and Health	
PEL	Permissible Exposure Limit	

This information is furnished without warranty, representation, inducement or license if any kind, except that it is accurate to the best of Omega Products International, Inc.'s knowledge or is obtained from sources believed to be accurate. Omega Products International, Inc. does not assume any legal responsibility for its use or reliance upon same/ Customers are encouraged to conduct their own tests. Before using any product, read its label.

Page 7 of 7